

Serial No. 09/813,463
Docket No: 098810/027 8740IN THE CLAIMS:

1.-18. (Cancelled)

3 19. (Previously Presented) The method of claims 21 or 23, wherein the human leukocyte antigen (HLA)-DR2 haplotype comprises DRB1*1501 or DRB1*15021.

H 20. (Previously Presented) The method of claims 21 or 23, wherein the patient has chronic progressive multiple sclerosis (MS).

1 21. (Previously Presented) A method of predicting therapeutic efficacy of treatment of a multiple sclerosis patient with a peptide of from 7 to 46 amino acids and having a sequence contained within amino acid residues 61-106 of SEQ ID NO:1, comprising screening a multiple sclerosis patient for the presence of an human leukocyte antigen (HLA)-DR2 haplotype, wherein the presence of the human leukocyte antigen (HLA)-DR2 haplotype in the patient is predictive of therapeutic efficacy of treatment with the peptide.

22. (Cancelled)

2 23. (Previously Presented) A method of predicting therapeutic efficacy of treatment of a multiple sclerosis patient with a peptide of from 8 to 25 amino acids and having a sequence contained within amino acid residues 61-106 of SEQ ID NO:1, comprising screening a multiple sclerosis patient for the presence of an human leukocyte antigen (HLA)-DR2 haplotype, wherein the presence of the human leukocyte antigen (HLA)-DR2 haplotype in the patient is predictive of therapeutic efficacy of treatment with the peptide.

24.-25. (Cancelled)